## 3 (Sem-5/CBCS) STA HC2

2021

(Held in 2022)

STATISTICS

(Honours)

Paper : STA-HC-5026

(Statistical Computing using C/C++ Programming)

Full Marks: 60

Time : Three hours

The figures in the margin indicate full marks for the questions.

Answer the following as directed:

x7=7

The brain of any computer system is: *(a)* 

(i) ALU

(ii) memory

(iii) CPU

(Choose the correct option) control unit (iv)

Contd.

- (b) Evaluate 10% 2.
- (c) A C-variable cannot start with
  - (i) an alphabet
  - (ii) a digit
  - (iii) a special character other than underscore
  - (iv) Both (ii) and (iii)
    (Choose the correct option)
- (d) The expression a = 22/7 \* 5/3 would evaluate the value of a as \_\_\_\_\_. (Fill in the blank)
- (e) Which of the following escape sequences moves the cursor position to the new line?
  - (i) \r
  - (ii) \n
  - (iii) \t
  - (iv) \v (Choose the correct option)
- (f) State whether the following declaration is allowed in C:

Char str[3] = "GOOD";

- (g) Array can be considered as a set of elements stored in consecutive memory locations having
  - (i) different data type
  - (ii) same data type
  - (iii) same scope
  - (iv) None of the above (Choose the correct option)
- 2. Answer the following questions briefly: 2×4=8
  - (a) Differentiate between hardware and software.
  - (b) Write the output of the following C-programme segment:

```
int a = 45;

float b = 3.5;

a = a + b;

b = a - b;

a = (a + b)/2;

b = (a - b)/2;

printf ("%d %f", a, b);
```

- represent in C/C++ language? What does the statement int A [50];
- Write the following algebraic expressions in C/C++: **(***g*
- (i)  $3x^2 + 2x + 5$
- (ii)  $\frac{2by}{d+1} \frac{2}{3(y+x)}$
- Answer any three questions from the  $5 \times 3 = 15$ following: က
- Draw a flowchart for calculating mean deviation from mean. *(a)*
- find arithmetic mean and harmonic mean Write a C/C++ program to of n observations. *(p)*
- Describe the 'switch' statement.
- and overflow on underflow of data. Write a note  $\widehat{\boldsymbol{z}}$ (g)

```
What will be the output of the
                                                                                                                                                                                                                    printf ("%d %d %f %f\n", k, l, a, b);
                  following program segment?
                                                                                                                                                                                                                                             の一日本の
                                                                                          int i = 2, j = 3, k, l;
                                                                                                                                                                                                                                             0 0 5
                                                                                                                                                                              \alpha = i/j * j;
                                                                                                                                                                                                    b = j/i * i;
                                                                                                                float a, b;
                                                                                                                                    k=i/j*j;
                                                                                                                                                          l = j/i * i;
                                                  main ()
          (ii)
```

Write a C/C++ program to determine the transpose of an  $n \times n$  matrix A. (e)

Answer either (a) or (b):

೭ Write a C/C++ programme determine the value of n! (iii)

- Evaluate float type variable  $\kappa$  such that  $\widehat{\boldsymbol{x}}$ 9
  - x = a \* b/2 + 3/2 \* b + 2 + c
- 3 assuming a = 4, b = 1, c = 3.2(ii)
- t 3 arrange n numbers in ascending Write a C/C++ programme Describe the for loop' briefly. (iii)
  - S order.

What are different relational (i)(g

either (a) or (b):

Answer

S.

- State the precedence rule of operators available in C? arithmetic operators. (ii)
- the correlation coefficient of n pairs 9 Write a C/C++ programme to find of observations. (iii)
- Briefly explain the 'do...while' loop. What is an algorithm? (ii)(i)*(g)*

9

obtain an approximate value of Write a programme in C/C++ to

the integral 
$$\int_{0}^{2} \frac{e^{x}}{1+x}$$
 by using

Simpson's  $\frac{1}{3}$ rd rule.

1

- Answer either (a) or (b): છ
- Elaborate on increment and decrement operators. (i)(g
  - o initialization of one-dimensional Describe the procedure array. (ij)
- the variance and coefficient of Write a C/C++ programme to find variation of n observations. (iii)
- Write an explanatory note on for' loop.  $\widehat{a}$
- Write a C/C++ programme to find using approximate solution the equation  $\frac{1}{x} - e^{-x} = 0$ Newton-Raphson method. an (ii)